



Data Catalog Vocabulary (DCAT)

W3C Recommendation 16 January 2014

This version:

<http://www.w3.org/TR/2014/REC-vocab-dcat-20140116/>

Latest published version:

<http://www.w3.org/TR/vocab-dcat/>

Implementation report:

http://www.w3.org/2011/gld/wiki/DCAT_Implementations

Previous version:

<http://www.w3.org/TR/2013/PR-vocab-dcat-20131217/>

Editors:

[Fadi Maali](#), [DERI, NUI Galway](#)
[John Erickson](#), [Tetherless World Constellation \(RPI\)](#)

Contributors:

[Phil Archer](#), [W3C/ERCIM](#)

Please refer to the [errata](#), a list of issues with this document discovered after publication.

This document is also available in this non-normative format: [diff to previous version](#)

The English version of this specification is the only normative version. Non-normative [translations](#) may also be available.

Copyright © 2012-2014 W3C® ([MIT](#), [ERCIM](#), [Keio](#), [Beihang](#)), All Rights Reserved. W3C [liability](#), [trademark](#) and [document use](#) rules apply.

Abstract

DCAT is an RDF vocabulary designed to facilitate interoperability between data catalogs published on the Web. This document defines the schema and provides examples for its use.

By using DCAT to describe datasets in data catalogs, publishers increase discoverability and enable applications easily to consume metadata from multiple catalogs. It further enables decentralized publishing of catalogs and facilitates federated dataset search across sites. Aggregated DCAT metadata can serve as a manifest file to facilitate digital preservation.

Status of This Document

This section describes the status of this document at the time of its publication. Other documents may supersede this document. A list of current W3C publications and the latest revision of this technical report can be found in the [W3C technical reports index](#) at <http://www.w3.org/TR/>.

This document has been reviewed by W3C Members, by software developers, and by other W3C groups and interested parties, and is endorsed by the Director as a W3C Recommendation. It is a stable document and may be used as reference material or cited from another document. W3C's role in making the Recommendation is to draw attention to the specification and to promote its widespread deployment. This enhances the functionality and interoperability of the Web.

The [original DCAT vocabulary](#) was developed at DERI, refined by the [eGov Interest Group](#), and then finally standardized by the [Government Linked Data \(GLD\) Working Group](#).

DCAT incorporates terms from pre-existing vocabularies, where stable terms with appropriate meanings could be found, such as foaf:homepage and dct:title. Informal summary definitions of these terms are included here for convenience, while complete definitions are available in the provided authoritative references. Changes to definitions in those references, if any, will supersede the summaries given in this specification. Note that conformance to DCAT (Section 3) concerns usage of only the terms in the DCAT namespace itself, so possible changes to the external definitions will not affect conformance of DCAT implementations.

This document was published by the [Government Linked Data Working Group](#) as a Recommendation. If you wish to make comments regarding this document, please send them to public-gld-comments@w3.org ([subscribe](#), [archives](#)). All comments are welcome.

Please see the Working Group's [implementation report](#).

This document was produced by a group operating under the [5 February 2004 W3C Patent Policy](#). W3C maintains a [public list of any patent disclosures](#) made in connection with the deliverables of the group; that page also includes instructions for disclosing a patent. An individual who has actual knowledge of a patent which the individual believes contains [Essential Claim\(s\)](#) must disclose the information in accordance with [section 6 of the W3C Patent Policy](#).

Table of Contents

1. Introduction
2. Namespaces
3. Conformance
4. Vocabulary Overview
 - 4.1 Basic Example

- 4.2 [Classifying datasets](#)
- 4.3 [Describing catalog records metadata](#)
- 4.4 [A dataset available only behind some Web page](#)
- 4.5 [A dataset available as download and behind some Web page](#)
- 5. [Vocabulary specification](#)
 - 5.1 [Class: Catalog](#)
 - 5.2 [Class: Catalog record](#)
 - 5.3 [Class: Dataset](#)
 - 5.4 [Class: Distribution](#)
 - 5.5 [Class: Concept scheme](#)
 - 5.6 [Class: Concept](#)
 - 5.7 [Class: Organization/Person](#)
- A. [Acknowledgements](#)
- B. [Change history](#)
- C. [References](#)
 - C.1 [Normative references](#)
 - C.2 [Informative references](#)

1. Introduction

This section is non-normative.

Data can come in many formats, ranging from spreadsheets over XML and RDF to various speciality formats. DCAT does not make any assumptions about the format of the datasets described in a catalog. Other, complementary vocabularies may be used together with DCAT to provide more detailed format-specific information. For example, properties from the VOID vocabulary [[void](#)] can be used to express various statistics about a DCAT-described dataset if that dataset is in RDF format.

This document does not prescribe any particular method of deploying data expressed in DCAT. DCAT is applicable in many contexts including RDF accessible via SPARQL endpoints, embedded in HTML pages as RDFa, or serialized as e.g. RDF/XML or Turtle. The examples in this document use Turtle simply because of Turtle's readability.

2. Namespaces

The namespace for DCAT is <http://www.w3.org/ns/dcat#>. However, it should be noted that DCAT makes extensive use of terms from other vocabularies, in particular [Dublin Core](#). DCAT itself defines a minimal set of classes and properties of its own. A full set of namespaces and prefixes used in this document is shown in the table below.

Prefix	Namespace
dcat	http://www.w3.org/ns/dcat#
dct	http://purl.org/dc/terms/
dctype	http://purl.org/dc/dcmitype/
foaf	http://xmlns.com/foaf/0.1/
rdf	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs	http://www.w3.org/2000/01/rdf-schema#
skos	http://www.w3.org/2004/02/skos/core#
vcard	http://www.w3.org/2006/vcard/ns#
xsd	http://www.w3.org/2001/XMLSchema#

3. Conformance

As well as sections marked as non-normative, all authoring guidelines, diagrams, examples, and notes in this specification are non-normative. Everything else in this specification is normative.

The key words **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **RECOMMENDED**, **MAY**, and **OPTIONAL** in this specification are to be interpreted as described in [[RFC2119](#)].

A data catalog conforms to DCAT if:

- It is organized into datasets and distributions.
- An RDF description of the catalog itself and its datasets and distributions is available (but the choice of RDF syntaxes, access protocols, and access policies is not mandated by this specification).
- The contents of all metadata fields that are held in the catalog, and that contain data about the catalog itself and its dataset and distributions, are included in this RDF description, expressed using the appropriate classes and properties from DCAT, except where no such class or property exists.
- All classes and properties defined in DCAT are used in a way consistent with the semantics declared in this specification.
- DCAT-compliant catalogs **MAY** include additional non-DCAT metadata fields and additional RDF data in the catalog's RDF description.

A **DCAT profile** is a specification for data catalogs that adds additional constraints to DCAT. A data catalog that conforms to the profile also conforms to DCAT. Additional constraints in a profile **MAY** include:

- A minimum set of required metadata fields
- Classes and properties for additional metadata fields not covered in DCAT
- Controlled vocabularies or URI sets as acceptable values for properties
- Requirements for specific access mechanisms (RDF syntaxes, protocols) to the catalog's RDF description

4. Vocabulary Overview


This section is non-normative.

DCAT is an RDF vocabulary well-suited to representing government data catalogs such as [Data.gov](#) and [data.gov.uk](#). DCAT defines three main classes:

- [dcat:Catalog](#) represents the catalog
- [dcat:Dataset](#) represents a dataset in a catalog.
- [dcat:Distribution](#) represents an accessible form of a dataset as for example a downloadable file, an RSS feed or a web service that provides the data.

Notice that a dataset in DCAT is defined as a "collection of data, published or curated by a single agent, and available for access or download in one or more formats". A dataset does not have to be available as a downloadable file. For example, a dataset that is available via an API can be defined as an instance of [dcat:Dataset](#) and the API can be defined as an instance of [dcat:Distribution](#). DCAT itself does not define properties specific to APIs description. These are considered out of the scope of this version of the vocabulary. Nevertheless, this can be defined as a profile of the DCAT vocabulary.

Another important class in DCAT is [dcat:CatalogRecord](#) which describes a dataset entry in the catalog. Notice that while [dcat:Dataset](#) represents the dataset itself, [dcat:CatalogRecord](#) represents the record that describes a dataset in the catalog. The use of the [CatalogRecord](#) is considered optional. It is used to capture provenance information about dataset entries in a catalog. If this distinction is not necessary then [CatalogRecord](#) can be safely ignored.



All RDF examples in this document are written in Turtle syntax [\[turtle\]](#).

4.1 Basic Example

This example provides a quick overview of how DCAT might be used to represent a government catalog and its datasets.

First, the catalog description:

```

:catalog
  a dcat:Catalog ;
  dct:title "Imaginary Catalog" ;
  rdfs:label "Imaginary Catalog" ;
  foaf:homepage <http://example.org/catalog> ;
  dct:publisher :transparency-office ;
  dct:language <http://id.loc.gov/vocabulary/iso639-1/en> ;

```

```

dcatalog:dataset :dataset-001 , :dataset-002 , :dataset-003 ;
.

```

The publisher of the catalog has the relative URI `:transparency-office`. Further description of the publisher can be provided as in the following example:

```

:transparency-office
  a foaf:Organization ;
  rdfs:label "Transparency Office" ;
.

```

The catalog lists each of its datasets via `dcatalog:dataset` property. In the example above, an example dataset was mentioned with the relative URI `:dataset-001`. A possible description of it using DCAT is shown below:

```

:dataset-001
  a dcat:Dataset ;
  dct:title "Imaginary dataset" ;
  dcat:keyword "accountability","transparency" ,"payments" ;
  dct:issued "2011-12-05"^^xsd:date ;
  dct:modified "2011-12-05"^^xsd:date ;
  dcat:contactPoint <http://example.org/transparency-office/contact> ;
  dct:temporal <http://reference.data.gov.uk/id/quarter/2006-Q1> ;
  dct:spatial <http://www.geonames.org/6695072> ;
  dct:publisher :finance-ministry ;
  dct:language <http://id.loc.gov/vocabulary/iso639-1/en> ;
  dct:accrualPeriodicity <http://purl.org/linked-data/sdmx/2009/code#freq-W> ;
  dcat:distribution :dataset-001-csv ;
.

```

In order to express frequency of update in the example above, we chose to use an instance from the [Content-Oriented Guidelines](#) developed as part of the W3C Data Cube Vocabulary efforts. Additionally, we chose to describe the spatial and temporal coverage of the example dataset using URIs from [Geonames](#) and [the Interval dataset](#) from data.gov.uk, respectively. A contact point is also provided where comments and feedback about the dataset can be sent. Further details about the contact point, such as email address or telephone number, can be provided using VCard [[vcard-rdf](#)].

The dataset distribution `:dataset-001-csv` can be downloaded as a 5Kb CSV file. This information is represented via an RDF resource of type `dcat:Distribution`.

```

:dataset-001-csv
  a dcat:Distribution ;
  dcat:downloadURL <http://www.example.org/files/001.csv> ;
  dct:title "CSV distribution of imaginary dataset 001" ;
  dcat:mediaType "text/csv" ;
  dcat:byteSize "5120"^^xsd:decimal ;
.

```

4.2 Classifying datasets

The catalog classifies its datasets according to a set of domains represented by the relative URI `:themes`. SKOS can be used to describe the domains used:

```

:catalog dcat:themeTaxonomy :themes .

```

```

:themes
  a skos:ConceptScheme ;
  skos:prefLabel "A set of domains to classify documents" ;
.

```

```

:dataset-001 dcat:theme :accountability .

```

Notice that this dataset is classified under the domain represented by the relative URI `:accountability`. It is recommended to define the concept as part of the concepts scheme identified by the URI `:themes` that was used to describe the catalog domains. An example SKOS description:

```

:accountability
  a skos:Concept ;
  skos:inScheme :themes ;
  skos:prefLabel "Accountability" ;
.

```

4.3 Describing catalog records metadata

If the catalog publisher decides to keep metadata describing its records (i.e. the records containing metadata describing the datasets), `dcat:CatalogRecord` can be used. For example, while `:dataset-001` was issued on 2011-12-05, its description on Imaginary Catalog was added on 2011-12-11. This can be represented by DCAT as in the following:

```

:catalog dcat:record :record-001 .

```

```

:record-001
  a dcat:CatalogRecord ;
  foaf:primaryTopic :dataset-001 ;
  dct:issued "2011-12-11"^^xsd:date ;
.

```

4.4 A dataset available only behind some Web page

:dataset-002 is available as a CSV file. However :dataset-002 can only be obtained through some Web page where the user needs to click some links, provide some information and check some boxes before accessing the data

```

:dataset-002
  a dcat:Dataset ;
  dcat:landingPage <http://example.org/dataset-002.html> ;
  dcat:distribution :dataset-002-csv ;
  .
:dataset-002-csv
  a dcat:Distribution ;
  dcat:accessURL <http://example.org/dataset-002.html> ;
  dcat:mediaType "text/csv" ;
  .

```

Notice the use of `dcat:landingPage` and the definition of the `dcat:Distribution` instance.

4.5 A dataset available as download and behind some Web page

On the other hand, :dataset-003 can be obtained through some landing page but also can be downloaded from a known URL.

```

:dataset-003
  a dcat:Dataset ;
  dcat:landingPage <http://example.org/dataset-003.html> ;
  dcat:distribution :dataset-003-csv ;
  .
:dataset-003-csv
  a dcat:Distribution ;
  dcat:downloadURL <http://example.org/dataset-003.csv> .
  dcat:mediaType "text/csv" ;
  .

```

Notice that we used `dcat:downloadURL` with the downloadable distribution and that the other distribution through the landing page does not have to be defined as a separate `dcat:Distribution` instance.

5. Vocabulary specification

The definitions (including domain and range) of terms outside the `dcat` namespace are provided here only for convenience and must not be considered normative. The authoritative definitions of these terms are in the corresponding specifications: [DC11], [FOAF], [RDF-SCHEMA], [SKOS-REFERENCE], [xmlschema-2] and [vcard-rdf].

5.1 Class: Catalog

The following properties are recommended for use on this class: [catalog record](#), [dataset](#), [description](#), [homepage](#), [language](#), [license](#), [publisher](#), [release date](#), [rights](#), [spatial](#), [themes](#), [title](#), [update date](#)

RDF Class:	dcat:Catalog
Definition:	A data catalog is a curated collection of metadata about datasets.
Usage note:	Typically, a web-based data catalog is represented as a single instance of this class.
See also:	Catalog record , Dataset

Property: title

RDF Property:	dct:title
Definition:	A name given to the catalog.
Range:	rdfs:Literal

Property: description

RDF Property:	dct:description
Definition:	A free-text account of the catalog.
Range:	rdfs:Literal

Property: release date

RDF Property:	dct:issued
Definition:	Date of formal issuance (e.g., publication) of the catalog.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmldatatype-2]
See also:	dataset release date , catalog record listing date and distribution release date

Property: update/modification date

RDF Property:	dct:modified
Definition:	Most recent date on which the catalog was changed, updated or modified.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmldatatype-2]
See also:	dataset modification date , catalog record modification date and distribution modification date

Property: language

RDF Property:	dct:language
Definition:	The language of the catalog. This refers to the language used in the textual metadata describing titles, descriptions, etc. of the datasets in the catalog.
Range:	dct:LinguisticSystem Resources defined by the Library of Congress (1 , 2) SHOULD be used. If a ISO 639-1 (two-letter) code is defined for language, then its corresponding IRI SHOULD be used; if no ISO 639-1 code is defined, then IRI corresponding to the ISO 639-2 (three-letter) code SHOULD be used.
Usage note:	Multiple values can be used. The publisher might also choose to describe the language on the dataset level (see dataset language).

Property: homepage

RDF Property:	foaf:homepage
Definition:	The homepage of the catalog.
Range:	foaf:Document
Usage note:	foaf:homepage is an inverse functional property (IFP) which means that it should be unique and precisely identify the catalog. This allows smushing various descriptions of the catalog when different URIs are used.

Property: publisher

RDF Property:	dct:publisher
Definition:	The entity responsible for making the catalog online.
Usage note:	Resources of type foaf:Agent are recommended as values for this property.
See also:	Class: Organization/Person

Property: spatial/geographic

RDF Property:	dct:spatial
----------------------	------------------------------------

Definition:	The geographical area covered by the catalog.
Range:	dct:Location

Property: themes

RDF Property:	dcat:themeTaxonomy
Definition:	The knowledge organization system (KOS) used to classify catalog's datasets.
Domain:	dcat:Catalog
Range:	skos:ConceptScheme

Property: license

RDF Property:	dct:license
Definition:	This links to the license document under which the catalog is made available and not the datasets . Even if the license of the catalog applies to all of its datasets and distributions, it should be replicated on each distribution.
Range:	dct:LicenseDocument
See also:	catalog rights , distribution license

Property: rights

RDF Property:	dct:rights
Definition:	This describes the rights under which the catalog can be used/reused and not the datasets . Even if these rights apply to all the catalog datasets and distributions, it should be replicated on each distribution.
Range:	dct:RightsStatement
See also:	catalog license , distribution rights

Property: dataset

RDF Property:	dcat:dataset
Definition:	A dataset that is part of the catalog.
Sub property of:	dct:hasPart
Domain:	dcat:Catalog
Range:	dcat:Dataset

Property: catalog record

RDF Property:	dcat:record
Definition:	A catalog record that is part of the catalog.
Domain:	dcat:Catalog
Range:	dcat:CatalogRecord

5.2 Class: Catalog record

The following properties are recommended for use on this class: [description](#), [listing date](#), [primary topic](#), [title](#), [update date](#)

RDF Class:	dcat:CatalogRecord
Definition:	A record in a data catalog, describing a single dataset.
Usage note	This class is optional and not all catalogs will use it. It exists for catalogs where a distinction is made between metadata about a <i>dataset</i> and metadata about the <i>dataset's entry in the catalog</i> . For example, the <i>publication date</i> property of the <i>dataset</i> reflects the date when the information was originally made available by the publishing agency, while the publication date of the <i>catalog record</i> is the date when the dataset was added to the catalog. In cases where both dates differ, or where only the latter is known, the <i>publication date</i> should only be specified for the catalog record. Notice that the W3C PROV Ontology [prov-o] allows describing further provenance information such as the details of the process and the agent involved in a particular change to a dataset.
See also	Dataset

If a catalog is represented as an RDF Dataset with named graphs (as defined in [[sparql11-query](#)]), then it is appropriate to place the description of each dataset (consisting of all RDF triples that mention the `dcat:Dataset`, `dcat:CatalogRecord`, and any of its `dcat:Distributions`) into a separate named graph. The name of that graph should be the IRI of the catalog record.

Property: title

RDF Property:	dct:title
Definition:	A name given to the record.
Range:	rdfs:Literal

Property: description

RDF Property:	dct:description
Definition:	free-text account of the record.
Range:	rdfs:Literal

Property: listing date

RDF Property:	dct:issued
Definition:	The date of listing the corresponding dataset in the catalog.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmldatatype-2]
Usage note:	This indicates the date of listing the dataset in the catalog and not the publication date of the dataset itself.
See also:	dataset release date

Property: update/modification date

RDF Property:	dct:modified
Definition:	Most recent date on which the catalog entry was changed, updated or modified.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmldatatype-2]

Usage note:	This indicates the date of last change of a catalog entry, i.e. the catalog metadata description of the dataset, and not the date of the dataset itself.
See also:	dataset modification date

Property: primary topic

RDF Property:	foaf:primaryTopic
Definition:	Links the catalog record to the dcat:Dataset resource described in the record.
Usage note:	foaf:primaryTopic property is functional: each catalog record can have at most one primary topic i.e. describes one dataset.

5.3 Class: Dataset

The following properties are recommended for use on this class: [contact point](#), [description](#), [distribution](#), [frequency](#), [identifier](#), [keyword](#), [landing page](#), [language](#), [publisher](#), [release date](#), [spatial coverage](#), [temporal coverage](#), [theme](#), [title](#), [update date](#).

RDF Class:	dcat:Dataset
Definition:	A collection of data, published or curated by a single agent, and available for access or download in one or more formats.
Sub class of:	dctype:Dataset
Usage note:	This class represents the actual dataset as published by the dataset publisher. In cases where a distinction between the actual dataset and its entry in the catalog is necessary (because metadata such as modification date and maintainer might differ), the catalog record class can be used for the latter.
See also:	Catalog record

Property: title

RDF Property:	dct:title
Definition:	A name given to the dataset.
Range:	rdfs:Literal

Property: description

RDF Property:	dct:description
Definition:	free-text account of the dataset.
Range:	rdfs:Literal

Property: release date

RDF Property:	dct:issued
Definition:	Date of formal issuance (e.g., publication) of the dataset.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmlschema-2]
Usage note:	This property should be set using the first known date of issuance.

Property: update/modification date

RDF Property:	dct:modified
Definition:	Most recent date on which the dataset was changed, updated or modified.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmilschema-2]
Usage note:	The value of this property indicates a change to the actual dataset, not a change to the catalog record. An absent value may indicate that the dataset has never changed after its initial publication, or that the date of last modification is not known, or that the dataset is continuously updated.
See also:	frequency

Property: language

RDF Property:	dct:language
Definition:	The language of the dataset.
Range:	dct:LinguisticSystem Resources defined by the Library of Congress (1, 2) <i>SHOULD</i> be used. If a ISO 639-1 (two-letter) code is defined for language, then its corresponding IRI <i>SHOULD</i> be used; if no ISO 639-1 code is defined, then IRI corresponding to the ISO 639-2 (three-letter) code <i>SHOULD</i> be used.
Usage note:	<ul style="list-style-type: none"> This overrides the value of the catalog language in case of conflict. If the dataset is available in multiple languages, use multiple values for this property. If each language is available separately, define an instance of dcat:Distribution for each language and describe the specific language of each distribution using dct:language (i.e. the dataset will have multiple dct:language values and each distribution will have one of these languages as value of its dct:language property).

Property: publisher

RDF Property:	dct:publisher
Definition:	An entity responsible for making the dataset available.
Usage note:	Resources of type foaf:Agent are recommended as values for this property.
See also:	Class: Organization/Person

Property: frequency

RDF Property:	dct:accrualPeriodicity
Definition:	The frequency at which dataset is published.
Range:	dct:Frequency (A rate at which something recurs)

Property: identifier

RDF Property:	dct:identifier
Definition:	A unique identifier of the dataset.
Range:	rdfs:Literal
Usage note:	The identifier might be used as part of the URI of the dataset, but still having it represented explicitly is useful.

Property: spatial/geographical coverage

RDF Property:	dct:spatial
Definition:	Spatial coverage of the dataset.
Range:	dct:Location (A spatial region or named place)

Property: temporal coverage

RDF Property:	dct:temporal
Definition:	The temporal period that the dataset covers.
Range:	dct:PeriodOfTime (An interval of time that is named or defined by its start and end dates)

Property: theme/category

RDF Property:	dcat:theme
Definition:	The main category of the dataset. A dataset can have multiple themes.
Sub property of:	dct:subject
Domain:	dcat:Dataset
Range:	skos:Concept
Usage note:	The set of skos:Concepts used to categorize the datasets are organized in a skos:ConceptScheme describing all the categories and their relations in the catalog.
See also:	catalog themes taxonomy

Property: keyword/tag

RDF Property:	dcat:keyword
Definition:	A keyword or tag describing the dataset.
Domain:	dcat:Dataset
Range:	rdfs:Literal

Property: contact point

RDF Property:	dcat:contactPoint
Definition:	Link a dataset to relevant contact information which is provided using VCard [vcard-rdf].
Domain:	dcat:Dataset
Range:	vcard:Kind

Property: dataset distribution

RDF Property:	dcat:distribution
Definition:	Connects a dataset to its available distributions.

Domain:	dcat:Dataset
Range:	dcat:Distribution

Property: landing page

RDF Property:	dcat:landingPage
Definition:	A Web page that can be navigated to in a Web browser to gain access to the dataset, its distributions and/or additional information.
Sub property of:	foaf:page
Domain:	dcat:Dataset
Range:	foaf:Document
Usage note:	If the distribution(s) are accessible only through a landing page (i.e. direct download URLs are not known), then the landing page link SHOULD be duplicated as accessURL on a distribution. (see example 4.4)

5.4 Class: Distribution

The following properties are recommended for use on this class: [access URL](#), [byte size](#), [description](#), [download URL](#), [format](#), [license](#), [media type](#), [release date](#), [rights](#), [title](#), [update date](#)

RDF class:	dcat:Distribution
Definition:	Represents a specific available form of a dataset. Each dataset might be available in different forms, these forms might represent different formats of the dataset or different endpoints. Examples of distributions include a downloadable CSV file, an API or an RSS feed
Usage note:	This represents a general availability of a dataset it implies no information about the actual access method of the data, i.e. whether it is a direct download, API, or some through Web page. The use of dcat:downloadURL property indicates directly downloadable distributions.

Property: title

RDF Property:	dct:title
Definition:	A name given to the distribution.
Range:	rdfs:Literal

Property: description

RDF Property:	dct:description
Definition:	free-text account of the distribution.
Range:	rdfs:Literal

Property: release date

RDF Property:	dct:issued
Definition:	Date of formal issuance (e.g., publication) of the distribution.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmilschema-2]

Usage note:	This property should be set using the first known date of issuance.
See also:	dataset release date

Property: update/modification date

RDF Property:	dct:modified
Definition:	Most recent date on which the distribution was changed, updated or modified.
Range:	rdfs:Literal encoded using the relevant ISO 8601 Date and Time compliant string and typed using the appropriate XML Schema datatype [xmlschema-2]
See also:	dataset modification date

Property: license

RDF Property:	dct:license
Definition:	This links to the license document under which the distribution is made available.
Range:	dct:LicenseDocument
See also:	distribution rights , catalog license

Property: rights

RDF Property:	dct:rights
Definition:	Information about rights held in and over the distribution.
Range:	dct:RightsStatement
Usage note:	dct:license , which is a sub-property of dct:rights , can be used to link a distribution to a license document. However, dct:rights allows linking to a rights statement that can include licensing information as well as other information that supplements the licence such as attribution.
See also:	distribution license , catalog rights

Property: access URL

RDF Property:	dcat:accessURL
Definition:	A landing page, feed, SPARQL endpoint or other type of resource that gives access to the distribution of the dataset
Domain:	dcat:Distribution
Range:	rdfs:Resource
Usage note:	<ul style="list-style-type: none"> • Use accessURL, and not downloadURL, when it is definitely not a download or when you are not sure whether it is. • If the distribution(s) are accessible only through a landing page (i.e. direct download URLs are not known), then the landing page link SHOULD be duplicated as accessURL on a distribution. (see example 4.4)
See also	distribution download URL

Property: download URL

RDF Property:	dcat:downloadURL
Definition:	A file that contains the distribution of the dataset in a given format
Domain:	dcat:Distribution
Range:	rdfs:Resource
Usage note:	dcat:downloadURL is a specific form of dcat:accessURL. Nevertheless, DCAT does not define dcat:downloadURL as a subproperty of dcat:accessURL not to enforce this entailment as DCAT profiles may wish to impose a stronger separation where they only use accessURL for non-download locations.
See also	distribution access URL

Property: byteSize

RDF Property:	dcat:byteSize
Definition:	The size of a distribution in bytes.
Domain:	dcat:Distribution
Range:	rdfs:Literal typed as xsd:decimal .
Usage note:	The size in bytes can be approximated when the precise size is not known.

Property: media type

RDF Property:	dcat:mediaType
Definition:	The media type of the distribution as defined by IANA .
Sub property of:	dct:format
Domain:	dcat:Distribution
Range:	dct:MediaTypeOrExtent
Usage note:	This property SHOULD be used when the media type of the distribution is defined in IANA , otherwise dct:format MAY be used with different values.
See also:	format

Property: format

RDF Property:	dct:format
Definition:	The file format of the distribution.
Range:	dct:MediaTypeOrExtent
Usage note:	dcat:mediaType SHOULD be used if the type of the distribution is defined by IANA .

5.5 Class: Concept scheme

RDF Class:	skos:ConceptScheme
-------------------	------------------------------------

Definition:	The knowledge organization system (KOS) used to represent themes/categories of datasets in the catalog.
See also:	catalog themes , dataset theme

5.6 Class: Concept

RDF Class:	skos:Concept
Definition:	A category or a theme used to describe datasets in the catalog.
Usage note:	It is recommended to use either <code>skos:inScheme</code> or <code>skos:topConceptOf</code> on every <code>skos:Concept</code> used to classify datasets to link it to the concept scheme it belongs to. This concept scheme is typically associated with the catalog using <code>dcat:themeTaxonomy</code>
See also:	catalog themes , dataset theme

5.7 Class: Organization/Person

RDF Classes:	foaf:Person for people and foaf:Organization for government agencies or other entities.
Usage note:	FOAF [FOAF] provides sufficient properties to describe these entities.

A. Acknowledgements

This document contains a significant contribution from Richard Cyganiak. Richard Cyganiak is one of the initiators of the DCAT work and significantly contributed to the work on this specification as it made its way through the W3C process.

The editors would like to thank Vassilios Peristeras for his comments and support for the original DCAT work. Vassilios Peristeras is also one of the initiators of the DCAT work. We would also like to thank Rufus Pollock for his significant input and comments.

This document has benefited from inputs from many members of the Government Linked Data Working Group. Specific thanks are due to Ghislain Atemezing, Martin Alvarez and Makx Dekkers.

B. Change history

Changes since [the W3C Proposed Recommendation 17 December 2013](#): None.

Changes since [the W3C Candidate Recommendation 05 November 2013](#):

- Section 5.4 Property: download URL; usage note added to clarify the relationship to `dcat:accessURL`
- Section 5.1: A domain row is added to the table describing `dcat:themeTaxonomy` property
- Section 5.3: A domain row is added to the tables describing `dcat:theme`, `dcat:keyword` and `dcat:contactPoint` properties
- Section 5.4: A domain row is added to the table describing `dcat:accessURL`, `dcat:downloadURL`, `dcat:byteSize` and `dcat:mediaType` properties
- Section 5: clarified that this spec is non-normative concerning terms outside the DCAT namespace, and added normative references for those terms.

Changes since [the second W3C Last Call working Draft 01 August 2013](#):

- Section 4.1: the provided example is extended with example usage of properties `dct:spatial`, `dct:temporal` and `dcat:contactPoint`
- Section 5.4 Property: access URL; definition and usage note texts clarified
- Section 5.4 Property: download URL; usage note saying "this value is a URL" is removed as it is confusing given that the range is `rdfs:Resource`
- Section 5.3 Property: contact point; change range from `vcard:VCard` to `vcard:Kind`. These two classes are equivalent however `vcard:VCard` is deprecated.
- Section 5.3 Property: language; usage note is expanded to describe the case of multiple language datasets.
- Section 4. Clarification text regarding versioning is added: "DCAT itself does not define properties specific to APIs description. These are considered out of the scope of this version of the vocabulary. Nevertheless, this can be defined as a profile of the DCAT vocabulary."

Changes since [W3C Last Call working Draft 12 March 2013](#):

- Section 4: diagram updated with new properties
- Section 4: add text to clarify describing datasets available via API
- Section 5.1: description of properties `dct:issued` and `dct:modified` updated
- Section 5.1: `dct:rights` added
- Section 5.2: description of properties `dct:issued` and `dct:modified` updated
- Section 5.3: description of properties `dct:issued` and `dct:modified` updated
- Section 5.3: `dcap:contactPoint` added
- Section 5.4: description of properties `dct:issued` and `dct:modified` updated
- Section 5.4: `dct:rights` added
- Section 5.5: split into two sections 5.5 and 5.6

C. References

C.1 Normative references

[DC11]

Dublin Core metadata initiative. *Dublin Core metadata element set, version 1.1*. July 1999. Dublin Core recommendation. URL: <http://dublincore.org/documents/dcmi-terms/>

[FOAF]

Dan Brickley, Libby Miller. *FOAF Vocabulary Specification 0.98*. 9 August 2010. URL: <http://xmlns.com/foaf/spec/>

[RDF-SCHEMA]

Dan Brickley, Ramanathan Guha. *RDF Schema 1.1*. 9 January 2014. W3C Proposed Edited Recommendation. URL: <http://www.w3.org/TR/rdf-schema/>

[RFC2119]

S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. March 1997. Internet RFC 2119. URL: <http://www.ietf.org/rfc/rfc2119.txt>

[SKOS-REFERENCE]

Alistair Miles; Sean Bechhofer. *SKOS Simple Knowledge Organization System Reference*. 18 August 2009. W3C Recommendation. URL: <http://www.w3.org/TR/skos-reference>

[vcard-rdf]

Renato Iannella; James McKinney. *vCard Ontology*. 24 September 2013. W3C Working Draft. URL: <http://www.w3.org/TR/vcard-rdf/>

[xmld-schema-2]

Paul V. Biron; Ashok Malhotra. *XML Schema Part 2: Datatypes Second Edition*. 28 October 2004. W3C Recommendation. URL: <http://www.w3.org/TR/xmlschema-2/>

C.2 Informative references

[prov-o]

Timothy Lebo; Satya Sahoo; Deborah McGuinness. *PROV-O: The PROV Ontology*. 30 April 2013. W3C Recommendation. URL: <http://www.w3.org/TR/prov-o/>

[sparql11-query]

Steven Harris; Andy Seaborne. *SPARQL 1.1 Query Language*. 21 March 2013. W3C Recommendation. URL: <http://www.w3.org/TR/sparql11-query/>

[turtle]

Eric Prud'hommeaux; Gavin Carothers. *RDF 1.1 Turtle*. 9 January 2014. W3C Proposed Recommendation. URL: <http://www.w3.org/TR/turtle/>

[void]

Keith Alexander; Richard Cyganiak; Michael Hausenblas; Jun Zhao. *Describing Linked Datasets with the VOID Vocabulary*. 3 March 2011. W3C Note. URL: <http://www.w3.org/TR/void/>